



New Glamping Pods

www.jumei-glamping.com

Products Features



Innovative Design

Modular Design

- **Exterior:** Structure + Outer Cover + Windows, doors, and add-ons
- **Interior:** Bathroom + Flooring + Furniture + Appliances



Framework

Material: Painted steel tube

Optional Material: Aluminum alloy structure



Prefabricated structure

- 100% Prefabricated structure
- Movable, easy to install and dismount

Products Features



Roof & Cover



- Material: High strength PVDF architectural membrane
- Weight: 950g/m²
- Features: Waterproof, fireproof, mildew-proof, UV-resistant, tear-resistant

Window, door, and add-ons



- Window & Door: Broken bridge aluminum glass doors and windows (5+20+5mm)
- Optional Add-ons: Auto Skylight, Ventilate system, Fireplace and Chimney, etc.

Products Series



X Series



Q Series



J Series



L Series

X Series



50m²



38m²



28m²



20m²

Skylight & Auto Sunroof (Optional)

The outer Skylight is a non-openable transparent fabric, and the inner Sunroof is a remote control switchable sun shade.

Solar Exhaust Fan (Optional)

Solar energy storage remote control exhaust fan

Stove Jack(Optional)

Stove Jack kit, can be attached to regular fireplace chimney or custom stoves

Glass Door(Standard Configuration)

Double Glazed Aluminum Hollow Glass Door, the door and the frame combine perfectly and seamlessly

Glass Window(Standard Configuration)

Aluminum Glass Window, customized connection accessories to ensure sealing and waterproofing

Cover & Liner(Standard Configuration)

Outer cover: 850g/m² Double sided PVC knife coated fabric

Insulation liner: 500g/m² Double Layer Thermal Insulated

Aluminum Foil Laminated Oxford Fabric

Struts (Standard Configuration)

High quality Q235 galvanized steel tube, baking paint surface(car-paint level)

Products by Areas

Optional Interior Add-ons



Bathroom Set(Optional)

- Wood Veneer Wall Panel*1
- Waterproof Floor*1
- Toilet*1
- Towel rack*1
- Ceiling*1
- Separated Shower*1
- Sink*1
- Shower-head set*1



Furniture(Optional)

- Solid wood bed/mat*1
- Wardrobe *1
- Leisure table*1
- Nightstand*2
- Sideboard *1
- Leisure Chair*2



Appliances(Optional)

- Air Conditioner*1(2P)
- Wall light*1
- Household Appliance*1
- Chandelier*1
- Water heater*1



Flooring System(Optional)

- Standard Click WPC Flooring
- Luxury Multilayer Solid Wood Flooring
- Electric Radiant Heating Solid Wood Flooring

■ X5

External
21m²

Inside
20m²

Terrace
0m²

Specifications

- **Strut Size:** 26*1.5mm
- **Outer Cover:** PVC 850g/m²
 - **Color:** White, Desert, Green, etc.
- **Diameter:** 5m
- **Lifespan:** 10 years
- **Strut Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3m
- **Wind Resistance:** Level 12

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



■ X6

External
30m²

Inside
28m²


Terrace
0m²

Specifications

- **Strut Size:** 26*1.5mm
- **Outer Cover:** PVC 850g/m²
 - **Color:** White, Desert, Green, etc.
- **Diameter:** 6m
- **Lifespan:** 10 years
- **Strut Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3.5m
- **Wind Resistance:** Level 12

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



■ X7

External
40m²

Inside
38.5m²

Terrace
0m²

Specifications

- **Strut Size:** 26*1.5mm
- **Outer Cover:** PVC 850g/m²
 - **Color:** White, Desert, Green, etc.
- **Diameter:** 7m
- **Lifespan:** 10 years
- **Strut Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4m
- **Wind Resistance:** Level 12

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



■ X8

External
52m²

Inside
50m²

Terrace
0m²

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1

Specifications

- **Strut Size:** 32*2mm
- **Outer Cover:** PVC 850g/m²
 - **Color:** White, Desert, Green, etc.
- **Diameter:** 8m
- **Lifespan:** 10 years
- **Strut Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4.5m
- **Wind Resistance:** Level 12



Q Series



Solar Exhaust Fan (Optional)

Solar energy storage remote control exhaust fan

Stove Jack(Optional)

Stove Jack kit, can be attached to regular fireplace chimney or custom stoves

Glass Door(Standard Configuration)

Double Glazed Aluminum Hollow Glass Door, the door and the frame combine perfectly and seamlessly

Glass Window(Standard Configuration)

Aluminum Glass Window, customized connection accessories to ensure sealing and waterproofing

Cover & Liner(Standard Configuration)

Outer cover: 950g/m² Double sided PVDF Architectural Membrane
Insulation liner: 500/m² Double Layer Thermal Insulated Aluminum Foil Laminated Oxford Fabric

Framework (Standard Configuration)

High quality Q235 galvanized steel tube, baking paint surface(car-paint level)

Platform (Optional)

Anti-corrosion/anti-rust wood deck fixed by steel tube



Q1



Q2



Q3

MORE STYLES

Optional Interior Add-ons



Bathroom Set(Optional)

- Wood Veneer Wall Panel*1
- Waterproof Floor*1
- Toilet*1
- Towel rack*1
- Ceiling*1
- Separated Shower*1
- Sink*1
- Shower-head set*1



Furniture(Optional)

- Solid wood bed/mat*1
- Wardrobe *1
- Leisure table*1
- Nightstand*2
- Sideboard *1
- Leisure Chair*2



Appliances(Optional)

- Air Conditioner*1(2P)
- Wall light*1
- Household Appliance*1
- Chandelier*1
- Water heater*1



Flooring System(Optional)

- Standard Click WPC Flooring
- Luxury Multilayer Solid Wood Flooring
- Electric Radiant Heating Solid Wood Flooring

Q1

External
45m²

Inside
30m²

Terrace
5m²

Specifications

- **Tube Size:** 60*2mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 7.6m*8m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3.5m
- **Wind Resistance:** Level 12

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



Q2

External
55m²

Inside
30m²

Terrace
6m²

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1

Specifications

- **Tube Size:** 80*2mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 8.6m*8.6m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3.6m
- **Wind Resistance:** Level 12



■ Q3

External
50m²

Inside
30m²

Terrace
5m²

Specifications

- **Tube Size:** 80*2mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 8m*8m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3.3m
- **Wind Resistance:** Level 12

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



J Series



Solar Exhaust Fan (Optional)

Solar energy storage remote control exhaust fan

Stove Jack(Optional)

Stove Jack kit, can be attached to regular fireplace chimney or custom stoves

Glass Door(Standard Configuration)

Double Glazed Aluminum Hollow Glass Door, the door and the frame combine perfectly and seamlessly

Glass Window(Standard Configuration)

Aluminum Glass Window, customized connection accessories to ensure sealing and waterproofing

Cover & Liner(Standard Configuration)

Outer cover: 950g/m² Double sided PVDF Architectural Membrane
Insulation liner: 280g/m² Double Layer Thermal Insulated Aluminum Foil Laminated Oxford Fabric

Framework (Standard Configuration)

High quality Q235 galvanized steel tube, baking paint surface(car-paint level)


Platform (Optional)

Anti-corrosion/anti-rust wood deck fixed by steel tube



MORE STYLES

Optional Interior Add-ons



Bathroom Set(Optional)

- Wood Veneer Wall Panel*1
- Waterproof Floor*1
- Toilet*1
- Towel rack*1
- Ceiling*1
- Separated Shower*1
- Sink*1
- Shower-head set*1



Furniture(Optional)

- Solid wood bed/mat*1
- Wardrobe *1
- Tea table*1
- Nightstand*2
- TV Table *1
- Sofa(3+1+1)*1



Appliances(Optional)

- Air Conditioner*1(3P)
- TV*1
- Household Appliance*1
- Chandelier*1
- Water heater*1



Flooring System(Optional)

- Standard Click WPC Flooring
- Luxury Multilayer Solid Wood Flooring
- Electric Radiant Heating Solid Wood Flooring

■ J1


External
52m²

Inside
36m²

Terrace
3m²

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



Specifications

- **Tube Size:** 60*3mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 6m*10.2m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4m
- **Wind Resistance:** Level 12

■ J2

External
46m²

Inside
40m²

Terrace
4m²

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 2
- Glass Window * 1

Specifications

- **Tube Size:** 60*2mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 3.5m*12.6m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4.5m
- **Wind Resistance:** Level 12



■ J3

External
50m²

Inside
43m²

Terrace
5m²

Specifications

- **Tube Size:** 80*3mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 5.7m*10m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4.1m
- **Wind Resistance:** Level 10

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 2
- Glass Window * 4



■ J4

External
48m²

Inside
40m²

Terrace
6m²

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1

Specifications

- **Tube Size:** 60*3mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Green, etc.
- **External Size:** 6.7m*10.8m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 3.6m
- **Wind Resistance:** Level 10



L Series



Solar Exhaust Fan (Optional)

Solar energy storage remote control exhaust fan

Stove Jack(Optional)

Stove Jack kit, can be attached to regular fireplace chimney or custom stoves

Glass Door(Standard Configuration)

Double Glazed Aluminum Hollow Glass Door, the door and the frame combine perfectly and seamlessly

Glass Window(Standard Configuration)

Aluminum Glass Window, customized connection accessories to ensure sealing and waterproofing

Cover & Liner(Standard Configuration)

Outer cover: 950g/m² Double sided PVDF Architectural Membrane
Insulation liner: 280g/m² Double Layer Thermal Insulated Aluminum Foil Laminated Oxford Fabric

Framework (Standard Configuration)

High quality Q235 galvanized steel tube, baking paint surface(car-paint level)

Platform (Optional)

Anti-corrosion/anti-rust wood deck fixed by steel tube

Interior Optional Add-ons



Loft Floor(Optional)

Steel Structure, including
Floor and Railing



Bathroom Set(Optional)

- Wood Veneer Wall Panel*1
- Waterproof Floor*1
- Toilet*1
- Towel rack*1
- Ceiling*1
- Separated Shower*1
- Sink*1
- Shower-head set*1



Furniture(Optional)

- Solid wood bed/mat*1
- Wardrobe *1
- Leisure table*1
- Nightstand*2
- TV Stand *1
- Leisure Chair*2



Appliances(Optional)

- Air Conditioner*1(3P)
- TV*1
- Household Appliance*1
- Chandelier*1
- Water heater*1



Flooring System(Optional)

- Standard Click WPC Flooring
- Luxury Multilayer Solid Wood Flooring
- Electric Radiant Heating Solid Wood Flooring

■ L1

External
47m²

Inside
42m²

Terrace
4m²

Specifications

- **Tube Size:** 80*3mm
- **Outer Cover:** PVDF 950g/m²
 - **Color:** White, Desert, Red, etc.
- **External Size:** 6.5m*7.7m
- **Lifespan:** 15 years
- **Tube Material:** Steel tube with baked paint finish
- **Insulation Liner:** Thermal Insulated Aluminum Foil Laminated Oxford Fabric
 - **Color:** White, Beige, Grey, etc.
- **External top height:** 4.3m
- **Wind Resistance:** Level 10

Standard Configuration:

- Framework,
- Outer Cover
- Insulation Liner
- Glass Door * 1
- Glass Window * 1



Furniture



Bathroom Set



50cm Night Stand
180cm Bed/Mattress
150cm Bed/Mattress
135cm Bed/Mattress



Leisure Chairs
Leisure Table



Tea Table
Sofa



50' TV
120cm TV Stand



80cm Wardrobe
100cm Wardrobe



Lounge Chair



Occasional Chair



80cm Sideboard



250cm Kitchenette
300cm Kitchenette



Diner Chairs
140cm Diner Table

About Us

Jumei Glamping is a glamping products brand of Jumei Tent Technology Co., Ltd. that focusing on providing safari tents, new glamping pods, safari lodge tents and glamping dome tents.

Jumei Tents and Technology Co., Ltd. is one of the leading industrial and commercial tent and pre-fabricated structure manufacturers and suppliers in China established in 2015.



Plant
10000m²



Employees
120



Patents
30



High and New
Technology Enterprise
Certificate of China



ISO 9001:2015
Certification



Contact Us

Website

www.jumei-glamping.com
www.jumei-tents.com



WhatsApp

+86 15360049598



Email

info@jumei-tents.com
rfq@jumei-tents.com



Social Medias

Facebook:
<https://www.facebook.com/jumeiglamping/>

Youtube:
<https://www.youtube.com/c/JumeiTent>



***WE'RE READY
FOR HELP!***

Showcases

CREATE FOR YOUR IMAGINATION

ALL FOR YOUR GLAMPING FANTASY!





THANK YOU FOR YOUR TIME!

www.jumei-glamping.com